

Appl. No. 10/786,988  
Atty. Docket: 2004B010  
Amendment dated March 9, 2006  
Response w/Issue Fee mailed January 17, 2006

---

**Amendments to the Claims:**

This listing of claims will replace all prior versions and listings of claims in the application:

**Listing of Claims:**

1-8. (Canceled)

9. (Previously Presented) A process for making polypropylene, comprising the steps of:

- a) separating a propylene stream and a dimethyl ether stream from an olefin stream, with the propylene stream being separated as an overhead distillation stream and the dimethyl ether stream being separated as a bottoms distillation stream;
- b) recovering an intermediate grade propylene stream from the overhead stream, wherein the intermediate grade propylene stream contains less than 99.5 wt % and at least 95 wt % propylene;
- c) contacting the intermediate grade propylene stream with polypropylene forming catalyst to form polypropylene and unreacted by-product;
- d) recovering propylene from the unreacted by-product to form a recycle stream; and
- e) contacting the recycle stream with the polypropylene forming catalyst to form additional polypropylene product.

10. (Canceled)

11. (Previously Presented) The process of claim 9, wherein the intermediate grade propylene stream contains less than 99 wt % propylene, based on total weight of the stream.

12. (Original) The process of claim 11, wherein the intermediate grade propylene stream contains less than 98 wt % propylene, based on total weight of the stream.

13. (Original) The process of claim 12, wherein the intermediate grade propylene stream contains less than 97 wt % propylene, based on total weight of the stream.

14. (Canceled)

Appl. No. 10/786,988  
Atty. Docket: 2004B010  
Amendment dated March 9, 2006  
Response w/Issue Fee mailed January 17, 2006

---

15. (Original) The process of claim 9, wherein the polypropylene forming catalyst is a Ziegler Natta or metallocene catalyst.

16. Canceled.

17. (Previously Presented) A process for making polypropylene product, comprising the steps of:

- a) contacting an oxygenate stream with an olefin forming catalyst to form an olefin stream, wherein the olefin stream comprises propylene, propane and dimethyl ether;
- b) separating the propylene, propane and dimethyl ether from the olefin stream to obtain an intermediate grade propylene stream, wherein the intermediate grade propylene stream contains less than 99.5 wt % and at least 95 wt % propylene;
- c) contacting the intermediate grade propylene stream with a polypropylene forming catalyst to form a polypropylene product.

18. (Original) The process of claim 17, wherein propylene is separated from the polypropylene product to form a recycle stream.

19. (Original) The process of claim 18, wherein the recycle stream is contacted with the polypropylene forming catalyst.

20. (Canceled)

21. (Previously Presented) The process of claim 17, wherein the intermediate grade propylene stream contains less than 99 wt % propylene, based on total weight of the stream.

22. (Original) The process of claim 21, wherein the intermediate grade propylene stream contains less than 98 wt % propylene, based on total weight of the stream.

23. (Original) The process of claim 22, wherein the intermediate grade propylene stream contains less than 97 wt % propylene, based on total weight of the stream.

24. (Canceled)

Appl. No. 10/786,988  
Atty. Docket: 2004B010  
Amendment dated March 9, 2006  
Response w/Issue Fee mailed January 17, 2006

---

25. (Original) The process of claim 17, wherein the polypropylene forming catalyst is a Ziegler Natta or metallocene catalyst.

26. (Previously Presented) A process for making polypropylene product, comprising the steps of:

- a) contacting an oxygenate stream with an olefin forming catalyst to form an olefin stream;
- b) separating a propylene stream from the olefin stream;
- c) sending the propylene stream to a propylene separation system;
- d) recovering an intermediate grade propylene stream from the propylene separation system, wherein the intermediate grade propylene stream contains less than 99.5 wt % and at least 95 wt % propylene;
- e) contacting the intermediate grade propylene stream with a polypropylene forming catalyst to form a polypropylene product and unreacted propylene; and
- f) removing at least a portion of the unreacted propylene in the propylene separation system, wherein the intermediate grade propylene stream further comprises the removed portion of unreacted propylene.

27. (Original) The process of claim 26, wherein the propylene separation system includes a distillation column.

28. (Canceled)

29. (Previously Presented) The process of claim 26, wherein the intermediate grade propylene stream contains less than 99 wt % propylene, based on total weight of the stream.

30. (Original) The process of claim 29, wherein the intermediate grade propylene stream contains less than 98 wt % propylene, based on total weight of the stream.

31. (Original) The process of claim 30, wherein the intermediate grade propylene stream contains less than 97 wt % propylene, based on total weight of the stream.

Appl. No. 10/786,988  
Atty. Docket: 2004B010  
Amendment dated March 9, 2006  
Response w/Issue Fee mailed January 17, 2006

---

32. (Canceled)

33. (Original) The process of claim 26, wherein the polypropylene forming catalyst is a Ziegler Natta or metallocene catalyst.

34. (Currently Amended): The process of claim [[1]]9, 17, or 26, wherein the composition of the intermediate stream is based on the composition of the stream supplied to contact the polypropylene catalyst without dilution from other sources.